



The scrubbing machine you can use everywhere, since it is compact in dimensions and anytime, since it is silent increasing productivity and reducing costs



Innova 55 B has the same dimensions as a walk behind model: you can clean faster surfaces up to 3,000 sq. m.



Comac designed a scrubbing machine that is extremely convenient: indeed, with the same investment intended for a walk behind model is possible to have Innova 55 B, that is more user-friendly and faster in cleaning operations.

Innova 55 B is a ride on scrubbing machine with automatic traction, available in battery version with single disc brush of 56 cm working width.



Innova 55 B

Compared to a walk behind scrubbing PLUS machine Innova 55 B offers the following benefits:

- It lowers management and usage costs throughout its life-cycle since:
 - It requires little maintenance
 - It is built with top quality materials
 - It uses waste-reducing technologies
 - It scrubs more square metres in the same time
 - It is comfortable, safe and user-friendly
- It is silent: can clean in sensitive environments such as nursing homes, hospitals etc. without disturbing the environment thanks to the "Eco Mode" device, that reduces the sound level
- It is fast, twice the speed of a walk behind scrubbing machine
- Reduces CO_2 emissions by up to 36%*.



* In specific tests vs walk-behind machines

Innova 55 B The simple design and the new steering wheel make it ergonomic and handy in any situation



The operator remains comfortably seated and can easily move in limited spaces, quickly passing from one area to another - even in a lift - in total safety

QUALITY DESIGN IN EVERY LAST DETAIL

Steering is light and smooth, so it can be manoeuvred and used in even the most congested areas and the narrowest passages with the minimum effort



Ergonomic steering wheel with controls and display to make driving intuitive and safer, because the operator isn't distracted and the scrubbing functions are activated without ever leaving the driving wheel




USER-FRIENDLY DIGITAL DISPLAY

SMALL as a walk behind scrubbing machine PRODUCTIVE and comfortable as an on board model






Cleans perfectly along walls without any need for manual cleaning operations



DESIGN The lowered footboard and access from both sides make it safer and more practical.

> MINIMUM AISLE TURN 1540 mm





Innova 55 B is safe for the operator and for the environment where it performs



Low centre of gravity and excellent weight distribution, to ensure the utmost stability even on slopes

Blinking kit (optional)

On request Innova 55 B can be equipped with on board battery charger, making battery charging easy, safe and fast

EMERGENCY STOP Immediate machine stop, just by pressing a single button

Automatic reduction of speed on bends

ANTI-OVERTURN BUMPER



SAFETY BRAKE

Automatic machine stop when the pedal is released The low sound level - 54 dB (A) - means the machine can be used anywhere, at any time, without disturbing the people nearby and safeguarding the operator's health



54 dB (A) With Eco Mode button on (Device to reduce noise level)





Can be customised with accessories to increase productivity





Innova 55 B Designed to keep the investment value high over time



All the components are protected inside the machine unit. This means less risk of breaking in case of accidental impact, avoiding additional repair costs and ensuring a longer working life The elements requiring daily maintenance can easily be identified by their yellow colour. At the end of his work-shift, the operator can quickly see which parts need sanitising, without wasting any time. This increases machine efficiency and keeps its value high

> Quick filling of the solution tank








Measuring cap, to add the proper detergent percentage

Innova 55 B **Respect for man and the environment**



MODEL
Innova 55 B
Sound level reduction
Energy saving
-

TECHNICAL DATA		Innova 55B
Squeegee width	mm	705-800
Disc brushes Ø (No.)	(n.) mm	(1) 560
Brush motor	V/W	24/500
Brushes rpm	rpm	160
Suction motor (No.)	V/W	24/420
Traction motor	V/W	24/300
Suction vacuum	mbar	125 (standard mode) / 76 (Eco mode)
Forward speed	km/h	0÷5,5
Minimum aisle turn	mm	1540
Type of drive	-	aut. rear
Battery compartment dimensions (L x h x w)	mm	362 x 290 x 354
Gradeability	0/0	8
Batteries (GEL) (n.) C5	V/Ah	12/112 (2)
Batteries (WET) (n.) C5	V/Ah	12/110 (2)
Batteries weight	kg	76





product







Machine for

commercial use

CE













Reduces packaging volumes and therefore the number of transportation means required



COMAC spa Via Maestri del Lavoro, 13 37059 Santa Maria di Zevio - Verona - Italy Tel. +39 045 8774222 - Fax +39 045 8750303 on line: www.comac.it - e-mail: com@comac.it

An ISO 9001:2008 Organisation certified by Q.C.B. Italy ISO 14001:2015 - OHSAS 18001:2007







The steel parts are subject to treatment which guarantees a long life and makes the parts oxidation-proof.

COMAC Spareseres the right, at anytime, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment. - CODE. 301851 - AC. - 09/17 - Copyright © COMAC 2017